#### **MAFI** Representatives

MAFI has a worldwide network of representatives to support you in your procurement, service and maintenance tasks.



represented by

#### MAFI Transport-Systeme GmbH

Hochhäuser Straße 18 97941 Tauberbischofsheim Germany *J* +49 9341/899-0
 Sales@mafi.de
 ⊕ www.mafi.de



#### Disclaimer

The models shown here may include different configurations, dimensions, weights and services that are not available in certain countries or may vary depending on the version. The equipment shown or mentioned may be part of special equipment (e.g. options and accessories) and may vary depending on local regulations. We would be pleased to provide you with further information. The colour representation may vary slightly due to printing or presentation. We also reserve the right to make changes, typesetting errors and printing errors. Furthermore, we reserve the right to change the technical details listed here without prior notice.

Text, images, graphics and their arrangement are protected by copyright and other protective rights. The content presented here may not be copied, distributed, changed or made accessible to third parties for commercial purposes. We would like to point out that the text, images and graphics contained herein are wholly or partly subject to the copyright of third parties. Unless otherwise indicated, all trademarks used herein are protected under trademark laws. This applies in particular to brands, type designations, logos and emblems.

# MAFI TRACS







mafi.de





## MAFI Transport-Systeme GmbH Tauberbischofsheim

MAFI Transport-Systeme GmbH specializes in the development and production of heavy-duty vehicles for transporting containers, semi-trailers, cargo / roll trailers and special container chassis in ports and industries.

Decades of experience, a wealth of knowledge and ideas are crucial to being able to offer high-quality equipment. MAFI places particular importance on intensive dialogue between its customers and partners. Thanks on going market research and close cooperation with its customers, MAFI is constantly improving and optimizing its products.

The smooth operation of the MAFI vehicles and the outstanding MAFI customer services ensure low operating costs.

MAFI Terminal tractors are in service 24/7 in high-performance, international container terminals. This demanding industry requires fast and efficient service support from MAFI to avoid disruption to operations and to maximize profitability.

MAFI's customer's include manufacturers, suppliers and logistics service providers for the international seaports, the steel, aluminium, paper and automotive industries, as well as logistics centers and airports.

## PERFORMING AT THE HIGHEST LEVEL!

MAFI

1 State

T230

MAFI

1.9

R

MAFI





Vehicle type	T 230
Operating areas	Seaports, Distribut
System load	up to 90 ton (198,0
Engine	Diesel engine
Tractor weight	approx. 7.600 kg (:
Type of engine	Cummins or VOLVO (depending on exh
Transmission	ZF 5WG191 or Allis
5 <sup>th</sup> wheel plate	Holland Eurohitch
Lifting capacity	up to 32.000 kg (7
Wheel base	3.000 mm (118")
Speed	up to 40 km/h (25
Axles	Front axle type VO Rear axle type Kes
Cabin	ROPS and FOPS cer With one side door Windshield and rea

## **MAFI T 230**

## **Your Terminal Tractor For Container Terminals** And Distribution Center Operations

The terminal tractor was originally designed for container handling in seaports; however, it can also be used in many industrial applications that involve moving heavy loads.

It exceeds the strictest requirements in terms of handling, comfort and productivity. Furthermore, this tractor has the advantage of low operating costs over its entire service life.

Built to current technical standards, this generation of terminal tractors is state-of-the-art and includes many important benefits and improvements for operators, workshops, drivers, as well as the environment. The latest generation engines in combination with a correspondingly adapted drive train allow for reduced fuel consumption and low exhaust emissions.







bution-/Logistic Centers, Industries

98,000 lbs.) (GCW)

(16,755 lbs.)

DLVO from each 129kW up to 172kW (175 HP/233 HP) exhaust emission stage IIIA, IV or V)

Allison 3000P

tch 3510-TR for 2" kingpin

g (70,550 lbs.)

(25 mph)

VOLVO Kessler

certified loor, access via the platform Windshield and rear window made of laminated glass



Vehicle type	T 225 D
Operating areas	Distribution-/Lo
System load	up to 60 ton (13
Engine	Diesel engine
Tractor weight	approx. 8.000 k
Type of engine	Cummins or VO (depending on (
Transmission	ZF 5WG191 or A
5 <sup>th</sup> wheel plate	Holland Eurohit
Lifting capacity	up to 25.000 kg
Wheel base	3.500 mm (137
Speed	up to 40 km/h (
Axles	Front axle type Rear axle type F
Cabin	ROPS and FOPS With one side d Windshield and

## **MAFI T 225 D**

## **Your Terminal Tractor For Distribution Center Operations**

The T 225 D distribution tractor is used especially for moving semi-trailers in distribution and logistics centers. The longer wheelbase allows for significantly more free space between the semi-trailer and the driver's cab.

As a result, the brake and power supply for the semi-trailer can be connected faster. The driver works safely, comfortably and effectively, without ever leaving the vehicle platform. Low coupling heights can be guaranteed by the use of the appropriate tires.

Using the tractor to lift the coupled semitrailer hydraulically eliminates the time-consuming raising and lowering of the trailer's landing legs. As a result, the T 225 D can move 3 – 4x more semitrailers than a conventional road truck.







Logistic Centers and Industries

132,300 lbs.) (GCW)

kg (17,650 lbs.)

OLVO from each 129kW up to 172kW (175 HP/233 HP) exhaust emission stage IIIA, IV or V)

Allison 3000P

itch 3510-TR for 2" kingpin

(g (55,115 lbs.)

7,8")

(25 mph)

VOLVO Kessler

S certified door, access via the platform d rear window made of laminated glass



Featured vehicles in photos may include additional equipment.



Vehicle type T 230 F	
<b>Operating areas</b> Seaports	
System load up to 90 tor	(198,0
Engine Diesel engir	ıe
Tractor weight approx. 7.40	00 kg (
Type of engine Cummins or (depending	
Transmission ZF 5WG191	or Allis
5 <sup>th</sup> wheel plate Holland Eur mounted at	
Wheel base3.000 mm (2000)	118")
Speed up to 40 km	/h (25
Axles Front axle ty Rear axle ty	-
Cabin ROPS and FO With one sid Windshield	le doo

## **MAFI T 230 F**

## **Your Terminal Tractor For Container Terminal Operations**

The terminal tractor was originally designed for container handling in seaports; however, large container terminals are using more and more terminal tractors with a fixed 5<sup>th</sup>-wheel plate. The associated container chassis remains connected to the tractor and is only removed for maintenance purposes.

The fixed 5<sup>th</sup>-wheel plate significantly lowers investment costs, as well as maintenance requirements. Thanks to its robust construction, the T 230 F can be used for container loads of up to 70 tons.







198,000 lbs.) (GCW)

kg (16,300 lbs.)

/OLVO from each 129kW up to 172kW (175 HP/233 HP) n exhaust emission stage IIIA, IV or V)

Allison 3000P

nitch 3510-TR for 2" kingpin fixed height, i.e. without hydraulic cylinders and lifting boom

(25 mph)

e VOLVO Kessler

S certified door, access via the platform nd rear window made of laminated glass



Vehicle type	R 332
Operating areas	Seaports and Indu
System load	up to 110 ton (242
Engine	Diesel engine
Tractor weight	approx. 9.800 kg (
Type of engine	VOLVO or Mercede (depending on ext
Transmission	ZF 6WG211
Transfer case	Kessler W1000, pe
5 <sup>th</sup> wheel plate	Holland Eurohitch
Lifting capacity	up to 32.000 kg (7
Wheel base	3.250 mm (128")
Speed	up to 38 km/h (23
Axles	Front axle type Ke Rear axle type Kes
Cabin	ROPS certified With rear sliding o

## **MAFI R 332**

#### Your RoRo Tractor For Seaports And Industries

MAFI R-Series tractors are preferred for the transportation of heavy loads in seaports and industries. These tractors can operate semi-trailers, goosenecks as well as drawbar trailers in combination with a ballast weight.

The vehicle is equipped with part time four-wheel drive and can accommodate 5<sup>th</sup>-wheel load of up to 32 tons. A spacious cabin, with an ergonomically designed swivel seat console (180°), offers the driver maximum driving comfort.

Stairs on both sides of the tractor frame allow easy access into the cabin via the rear sliding door. The robust frame has been designed to meet the tough requirements of the tractor's various applications. Well-known name brand components ensure a high availability of spares and a lower cost of ownership.



eaports and Industries



p to 110 ton (242,508 lbs.) (GCW)

pprox. 9.800 kg (21,605 lbs.)

OLVO or Mercedes from each 185kW up to 210kW (248 HP/ 281 HP) lepending on exhaust emission stage IIIA, IV or V)

essler W1000, permanent 4x4

Iolland Eurohitch 3510-TR for 2" kingpin

p to 32.000 kg (70,550 lbs.)

p to 38 km/h (23.6 mph)

ront axle type Kessler ear axle type Kessler

Vith rear sliding door and side door Windshield and rear window made of laminated glass



Vehicle type	R 336
Operating areas	Seaports, Industrie
System load	up to 176 ton (388
Engine	Diesel engine
Tractor weight	approx. 10.000 kg
Type of engine	VOLVO or Mercede (depending on ext
Transmission	ZF 6WG211
Transfer case	Kessler W1000, pe
5 <sup>th</sup> wheel plate	Holland Eurohitch
Lifting capacity	up to 36.000 kg (7
Wheel base	3.250 mm (128")
Speed	up to 38 km/h (23
Axles	Front axle type Ke Rear axle type Kes
Cabin	ROPS certified With rear sliding c

## **MAFI R 336**


## Your RoRo Tractor For Seaports And Industries

The design of the R 336 is based on the structure of the R 332. A more powerful engine and a stronger rear axle, in combination with the corresponding tires, make it easy to fulfill your transport tasks.

The 5<sup>th</sup>-wheel's lifting capacity of 36 tons allows for a higher system load. This is the perfect tractor for RoRo operations with heavier loads or for your transport requirements in steel mills.









to 176 ton (388,014 lbs.) (GCW)

prox. 10.000 kg. (22,050 lbs.)

DLVO or Mercedes from each 185kW up to 210kW (248 HP/281 HP) epending on exhaust emission stage IIIA, IV or V)

ssler W1000, permanent 4x4

lland Eurohitch 3510-TR for 2" kingpin

to 36.000 kg (79,360 lbs.)

to 38 km/h (23.6 mph)

ont axle type Kessler ar axle type Kessler

th rear sliding door and side door Windshield and rear window made of laminated glass



Vehicle type
Operating areas
System load
Engine
Tractor weight
Type of engine
Transmission
Transfer case
5 <sup>th</sup> wheel plate
Ballast weight
Trailer hitch
Wheel base
Speed
Axles
Cabin

## **MAFI R 332 Z**

## **Tractor With Ballast Weight**

The R 332 Z tractor is equipped with a ballast weight in order to pull drawbar trailers. The tractor comes with a base plate of approx. 2 tons. In order to ensure a proper traction, this ballast weight can be increased according to the payload of the drawbar trailer.

Different types of ballast weights are available. You can choose from either fixed ballast weights or detachable ones with a parking stand. Brake and electric connections for the trailer are mounted next to the trailer hitch at the rear.





Seaports, Industries and Steel Mills

R 332 Z

Diesel engine

ZF 6WG211

without

mounted at rear

3.250 mm (128")

**ROPS** certified



up to 205 ton (451,948 lbs.) (GCW) in combination with a ballast

approx. 10.500 kg (23,150 lbs.)

VOLVO or Mercedes from each 185kW up to 210kW (248 HP/281 HP) (depending on exhaust emission stage IIIA, IV or V)

Kessler W1000, permanent 4x4

with ballast weight (Base plate approx. 2 ton (4,400 lbs.)

up to 38 km/h (23.6 mph)

Front axle type Kessler Rear axle type Kessler

With rear sliding door and side door Windshield and rear window made of laminated glass



/ehicle type	HD 445
Operating areas	Seaports and Stee
System load	up to 250 ton (55
Engine	Diesel engine
Fractor weight	approx. 14.000 kg
Type of engine	VOLVO with 315 k (depending on ex
Fransmission	ZF 6WG260 or ZF
5 <sup>th</sup> wheel plate	Holland Eurohitch
ifting capacity	up to 45.000 kg (9
Wheel base	3.000 mm (118")
Speed	up to 38 km/h (23
Axles	Front axle type Ke Rear axle type Ke
Cabin	ROPS certified With rear sliding o Windshield and re

S

## **MAFI HD 445**

#### Your Tractor For Heavy-Duty Industrial Applications

The HD 445 tractor is MAFI's largest and most powerful vehicle. With a liftable 5<sup>th</sup>-wheel capacity of 45 tons, it is mainly used in steel mills, foundries and other heavy industries. Eco-friendly engines with outputs of up to 315 kW ensure the smooth transport of payloads of up to 250 tons. When used in combination with a ballast weight, the HD 445 tractor can pull even greater loads on drawbar trailers.

The HD 445 tractor combines a comfortable workspace with state-of-the-art equipment. The use of wellknown quality components ensures that the tractor is always ready for operation. The vibration insulated mounting of the ROPS / FOPS-certified cab contributes to better ride quality by reducing both vibration and noise.



teel Mills



551,155 lbs.) (GCW)

kg (30,865 lbs.)

5 kW (422 HP) or Cummins with 285 kW (382 HP) exhaust emission stage IIIA, IV or V)

ZF 6WG310

tch FW0100 for 3.5" kingpin

g (99,200 lbs.)

(23.6 mph)

Kessler Kessler

g door and side door I rear window made of laminated glass









#### **MAFI** Production World

For more than 60 years, MAFI has been manufacturing tractors and trailers for seaports and industries. No matter what application the vehicle is needed for, we always do our most to find the perfect solution.

This long-lasting success is based on our employees and their capability to improve our business operations. We are committed to creating a strong workforce to secure the future of MAFI's growth.

The name MAFI is recognized all over the world for its products without even mentioning them. Our goal is to give everybody the best support and build strong, lasting business relationships.





#### MAFI - Who We Are

All our tractors are made in Germany by a team of employees from all over the world. This combined experience and knowledge gives us the creativity and strength to meet the demands of the future.

Along with professional consultation, we focus on our customer needs and give them our full support wherever help is required. Our trained and skilled service team is available for any questions or challenges, no matter how complicated they are.

Furthermore, our international dealer network means that immediate support is available right at your doorstep.









## **MAFI** Trailers

#### Industrial And Heavy-Duty Drawbar Trailers / Roll And Cargo-Trailer / Container Chassis

MAFI supplies industrial and heavy-duty trailers, roll and cargo-trailer and container chassis for internal transport applications in ports and industries. Available payloads range from a few hundred kilograms to 250 tons. No matter what your transport requirements are, we can offer the right system solutions. Both basic and customized trailers are available and manufactured to your specific needs.

Please see our trailer and equipment brochure for more information.

## **MAFI Equipment**

## Goosenecks & Parking Stands / Ballast Weights

An important part of each tractor is the equipment to connect it to the trailer. MAFI offers goosenecks for tractors to operate roll and cargo-trailer and also various types of ballast weights for towing drawbar trailers. Forklift goosenecks are also available.

Please see our trailer and equipment brochure for more information.

